INDEX BY AUTHOR

Al-Rawahy, S.Y.S. & Goulty, N.R. Effect of mining subsidence on seismic velocity monitored by a repeated reflection profile, 191

Alikaj, P., *see* Frasheri, A.

Alumbaugh, D.L. & Morrison, H.F. Monitoring subsurface changes over time with cross-well electromagnetic tomography, 873

Alumbaugh, D.L., *see* Newman, G.A.

Apparao, A., Sivarama, R. & Subrahmanya Sarma V. Downward continuation of $(V_z)_L$ profile in IP (time-domain) with linear excitation using point electrodes. A short note, 903

Barton, P.J., *see* Samson, C.

Bayoumi, A.E., *see* El-Kaliouby, H.M.

Belay, R. & Rasmussen, T.M. One-dimensional non-linear inversion of magnetotelluric data: the importance of data errors, 905

Benderitter, Y., *see* Guerin, R.

Benson, A.K. Phase-shift migration with a variable-length spatial tranform – an algorithm for moderately varying lateral velocities, 729

Beresford, G., *see* Duncan, G.

Berg, P., *see* Nielson, P.

Biondi, B. & Palacharala, G. 3D depth migration by rotated McClellan filters, 1005

Bruland, L., *see* Johansen, T.A.

Bunks, C. Effective filtering of artifacts for implicit finite-difference paraxial wave equation migration, 203

Chunduru, R.K., Sen, M.K., Stoffa, P.L. & Nagendra, R. Non-linear inversion of resistivity profiling data for some regular geometrical bodies, 979

Côte, P., Degauque, P., Lagabriell, R. & Levent, N. Detection of underground cavities with monofrequency electromagnetic tomography between boreholes in the frequency range 100 MHz to 1 GHz, 1083

Das, U.C. Direct current electric potential computation in an inhomogeneous and arbitrarily anisotropic layered earth, 417

Degauque, P., *see* Côte, P.

Dittmer, J.K. & Szymanski, J.E. The stochastic inversion of magnetics and resistivity data using the simulated annealing algorithm, 397

Dixit, M.M., *see* Tewari, H.C.

Dobroka, M., *see* Hering, A.

Drakatos, G., *see* Louis, J.

Dresen, L., *see* Hering, A.

Duncan, G. & Beresford, G. Median filter behaviour with seismic data, 329

El-diwany, E.A., *see* El-Kaliouby, H.M.

El-Kaliouby, H.M., Hussain, S.A., Bayoumi, A.E., El-diwany, E.A. & Hashish, E.A. Effect of clayey media parameters on the negative response of a coincident loop, 595

Filpo, E. & Hubral, P. Numerical tests of 3D true-amplitude zero-offset migration, 119

Fjaer, E., *see* Rathore, J.S.

Flemming, I., *see* Nielson, P.

Frasheri, A., Lubonja, L. & Alikaj, P. On the application of geophysics in the exploration for copper and chrome ores in Albania, 743

Gelius, L.-J. A sample of controlled experiments in diffraction tomography, 31
Gelius, L.-J. Generalized acoustic diffraction tomography, 3
Goulty, N.R., *see* Al-Rawahy, S.Y.S.
Goulty, N.R., *see* Rowbotham, P.S.
Greenhaigh, S.A., *see* Zhou, B.
Grubb, H.J. & Walden, A.T. Smoothing seismically derived velocities, 1061
Guerin, R. & Benderitter, Y. Shallow karst exploration using MT-VLT and DC resistivity methods, 635
Gyulai, A., *see* Hering, A.

Hampson, G. & Jakubowicz, H. The effects of source and receiver motion on seismic data, 221
Hanyga, A. & Helle, H.B. Synthetic seismograms from generalized ray tracing, 51
Hanyga, A. & Pajchel, J. Point-to-curve ray tracing in complicated geological models, 859
Hashish, E.A., *see* El-Kaliouby, H.M.
Helle, H.B., *see* Hanyga, A.
Hering, A., Misiek, R., Gyulai, A., Ormos, T., Dobroka, M. & Dresen, L. A joint inversion algorithm to process geoelectric and surface wave seismic data, 135
Holt, R.M., *see* Rathmore, J.S.
Huang, M., Liu, C., Shen, L.C. & Shattuk, D. Monitoring soil contaminations using a contactless conductivity probe, 759
Hubral, P., *see* Filpo, E.
Hussain, S.A., *see* El-Kaliouby, H.M.

Iliceto, V., Santarato, G. & Zerelli, A. 2D modelling of resistivity and magnetotelluric data from the Belvedere Spinello salt mine, Italy, 77

Jakubowicz, H., *see* Hampson, G.
Johansen, T.A., Bruland, L. & Lutro, J. Tracking the amplitude versus offset (AVO) by using orthogonal polynomials, 245
Jol, H.M. Ground penetrating radar antennae frequencies and transmitter powers compared for penetration depth, resolution and reflection continuity, 693
Juhlin, C. Finite-differences elastic wave propagation in 2D heterogeneous transversely isotropic media, 843

Karwatowski, J., *see* Samson, C.
Keating, P. Error estimation and optimization of gravity surveys, 569
Keydar, S., *see* Landa, E.
King, M.S., *see* Tao, G.
Koeler, F., *see* Taner, M.T.
Kopp, C., *see* Rühl, T.
Kravstov, A., *see* Landa, E.

Lagabrielle, R., *see* Côte, P.
Landa, E., Keydar, S. & Kravstov, A. Determination of a shallow velocity-depth model from seismic refraction data by coherence inversion, 177

Legchenko, A.V., *see* Trushkin, D.V.
Levent, N., *see* Côte, P.
Leven, F.K. Reflection points and surface points, 831
Liu, C., *see* Huang, M.
Liao, Q. & McMechan, G.A. 2.5D full-wavefield viscoacoustic inversion, 1043
Lichman, E. & Northwood, E.J. Phase inversion deconvolution for long and short period multiples attenuation, 469
Lichman, E. Phase inversion deconvolution for long and short period multiples attenuation, 469
Louis, J., Papadopoulos, T., Drakatos, G. & Pantzartzis, P. Conventional and modern seismic investigations for rock quality determination at a dam site – a case study, 779
Lubonja, L., *see* Frasheri, A.
Lutro, J., *see* Johansen, T.A.

Mason, I.M., *see* Zhou, B.
Mazzotti, A. & Ravagnan, G. Impact of processing on the amplitude versus offset response of a marine seismic data set, 263
McMechan, G.A., *see* Liao, Q.
Misiek, R., *see* Hering, A.
Morrison, H.F., *see* Alumbaugh, D.L.
Murty, P.R.K., *see* Tewari, H.C.

Nabi-Bidhendi, M., *see* Tao, G.
Nafi Tokoz, M., *see* Schultz, C.A.
Nagendra, R., *see* Chunduru, R.K.
Newman, G.A. & Alumbaugh, D.L. Frequency-domain modelling of airborne electromagnetic responses using staggered finite differences, 1021
Nielson, P., Flemming, I., Berg, P. & Skovgaard, O. Using the pseudospectral method on curved grids for 2D elastic forward modelling, 369
Nikalaou, S., *see* Skianis, G.
Nishizawa, O. & Noro, H. Bootstrap statistics for velocity tomography: application of a new information criterion, 157
Noro, H., *see* Nishizawa, O.
Northwood, E.J., *see* Lichman, E.
Nurul Kabir, M.M. & Verschuur, D.J. Restoration of missing offsets by parabolic Radon transform, 347

O'Doherty, R.F., *see* Taner, M.T.
Ormos, T., *see* Hering, A.

Pajchel, J., *see* Hanyga, A.
Palacharala, G., *see* Biondi, B.
Pantzartzis, P., *see* Louis, J.
Papadopoulos, T., *see* Louis, J.
Papadopoulos, T., *see* Skianis, G.

Rasmussen, T.M., *see* Belay, R.
Rathore, J.S., Fjaer, E., Holt, R.M. & Renlie, L. P- and S-wave anisotropy of a synthetic sandstone with controlled crack geometry, 711

Rauen, A. & Soffel, H.C. Determination of electrical resistivity, its anisotropy and heterogeneity on drill cores: a new method, 283
Ravagnan, G., *see* Mazzotti, A.
Renlie, L., *see* Rathore, J.S.
Ristow, D., *see* Rühl, T.
Rowbotham, P.S. & Goulty, N.R. Quantitative evaluation of crosshole seismic reflection images using physical model data, 529
Rühl, T., Kopp, C. & Ristow, D. Fourier finite-difference migration for steeply dipping reflectors with complex overburden, 919

Samson, C., Barton, P.J. & Karwatowski, J. Imaging beneath opaque basaltic layer using densely sampled wide-angle OBS data, 509
Santarato, G. & Spagnolini, U. Cancelling directional EM noise in magnetotellurics, 605
Santarato, G., *see* Iliceto, V.
Sayers, C.M. Anisotropic velocity analysis, 541
Schultz, C.A. & Nafi, Toköz, M. Reflections from a randomly grooved interface: ultrasonic modelling and finite-difference calculation, 581
Sen, M.K., *see* Chunduru, R.K.
Shattuk, D., *see* Huang, M.
Shen, C., *see* Huang, M.
Shushakov, O.A., *see* Trushkin, D.V.
Sivarama, R., *see* Apparao, A.
Skianis, G., Papadopulos, T., Vaiopoulos, D. & Nikalaou, S. A new method of quantitative interpretation of SP anomalies produced by a polarized inclined sheet, 677
Skovgaard, O., *see* Nielsen, P.
Soffel, H.C., *see* Rauen, A.
Soininen, H., *see* Vanhala, H.
Spagnolini, U., *see* Santarato, G.
Stoffa, P.L., *see* Chunduru, R.K.
Subrahmanya Sarma, V., *see* Apparao, A.
Szymanski, J.E., *see* Dittmer, J.K.

Taner, M.T., O'Doherty, R.F. & Koeler, F. Long period multiple suppression by predictive deconvolution in the x–t domain, 443
Tao, G., King, M.S. & Nabi-Bidhendi, M. Ultrasonic wave propagation in dry and brine-saturated sandstones as a function of effective stress: laboratory measurements and modelling, 299
Tewari, H.C., Dixit, M.M. & Murty, P.R.K. Use of traveltime skips in refraction analysis to delineate velocity inversion, 793
Thomsen, L. Elastic anisotropy due to aligned cracks on porous rock, 805
Toksöz, M.N., *see* Schultz, C.A.
Trushkin, D.V., Shushakov, O.A. & Legchenko, A.V. Surface NMR applied to an electroconductive medium, 623

Vaiopoulos, D., *see* Skianis, G.

Vanhala, H. & Soininen, H. Laboratory technique for measurement of spectral induced polarization response of soil samples, 655
Verschuur, D.J., *see* Nurul Kabir, M.M.

Walden, A.T., *see* Grubb, H.J.
Walker, D. Harmonic resonance structure and chaotic dynamics in the earth-vibrator system, 487
Waltham, D., *see* Wang, X.
Wang, X. & Waltham, D. The stable beam seismic modelling method, 939
White, R.E., *see* Xu, S.

Xu, S. & White, R.E. A new velocity model for clay-sand mixtures, 91

Zerelli, A., *see* Iliceto, V.
Zhou, B., Mason, I.M. & Greenhalgh, S.A. Accurate and efficient shot-gather dip moveout processing in the log-stretch domain, 963